



THE **BLAT Bike Rack**

PART OF THE
BUILT-LIKE-A-TANK
LINE OF PRODUCTS

by

StoreYourBoard™
Patent Pending

THANK YOU FOR YOUR PURCHASE!

Please read all instructions before installing this product

WARNINGS:

It is the user's responsibility to ensure the safe and proper use of this product. StoreYourBoard is not responsible for damages or injuries related to installation or use, including improper or inadequate mounting. Wear eye protection and locate electrical wiring in walls before installation. Not intended for children. **Misuse of this product could result in serious injury or death.**


Includes:

- (1) Wall Rack
- (3) Lag Screws
- (3) Washers

Weight Limits:

- **Up to 50 lbs** per attachment
- **Up to 200 lbs** rack total (evenly distributed)

Installation Instructions



Part Identification:

- (A) Attachment Arms
- (B) Mounting Holes
- (C) Lag Screws
- (D) Washers

Recommended Tools:

- Drill/Driver
- Nut drivers
- Drill bits
- Level & Pencil
- Tape Measure
- Stud Finder

Prior to installing, please visit the product details page at www.storeyourboard.com to view installation videos.

- 1. Locate Studs:** Determine the wall space where the BLAT Bike Rack is to be located. The rack's mounting holes are spaced to align with 16" o.c. studs. Use a Stud Finder to locate your nearest wall studs to the desired rack location, mark the studs location with a pencil. *Do Not anchor through drywall only.*
- 2. Mark Mounting Points:** Hold the rack up to the wall at the desired mounting height (consider the length of your bikes to be stored). Align rack mounting holes (B) with the marked stud locations. After confirming the rack is level with the level tool, mark the mounting hole locations with a pencil.
- 3. Pre-drill Mounting Holes:** Locate a drill bit that is slightly narrower than the threads of the lag screw (C) provided. With the selected drill bit, drill holes into the wall studs at the mounting points marked in step 2. The depth of the hole should be similar to that of the lag screw provided.
- 4. Install First Screw:** Place a washer (D) on the first screw and push it to the head of the screw. Next, push the screw through the mounting hole of the rack and secure to wall in predrilled location till screw is about 90% installed.
- 5. Additional Screws:** With the washer placed on the screw, insert additional screws through rack mounting holes and secure each screw tight to the wall. At this point, fully secure all screw so the rack is tight to the wall.
- 6. Load Bikes:** Load bikes on the attachment arms (A) and Enjoy!

We value your feedback:

Help others by leaving a review of your experience with this rack. We at SYB greatly value feedback, and continually look for ways to improve our products to meet your storage needs!



Bringing you the best racks, bags & accessories.

Need help?

info@storeyourboard.com

1.877.880.5934

Updated: 8-15-2019