

WALLONE®

~ **STORAGE**

~ **FS RACK STORAGE SYSTEM**

~ **BASE FRAME**



NOW WITH SILVER POWDER COAT!!




CHANGING THE WAY YOU GET THERE

MALONE

NOW WITH SILVER POWDER COAT!!
FS Rack Storage System

(MPG318 - MPG331 - MPG332 - MPG334 - MPG338 - MPG386 - MPG387 - MPG388)



J-STYLE HOLDERS

FS STORAGE RACK SYSTEM

NOW WITH SILVER POWDER COAT!!



NOW WITH SILVER POWDER COAT!!

SUP-STYLE HOLDERS

FS STORAGE RACK SYSTEM



MALONE®

NOW WITH SILVER POWDER COAT!!

FS Rack Storage System

(MPG318 - MPG331 - MPG332 - MPG334 - MPG338 - MPG386 - MPG387 - MPG388)

Warnings / Limitations: Do not exceed the published load bearing weight of the product.



Use on a flat dry surface.

OUTSIDE USE: Boats must be turned with cockpit facing inwards to avoid filling with water.

Under no circumstances will the manufacturer be responsible for damages or failures that occur as a result of improper assembly or usage.

Installation Instructions - Please Read Before Beginning

1). Begin by opening the carton, remove the contents and confirm that all the components of the rack have been included. Identify and pre-stage the following parts for building a lower side assembly. See images 1 and 2 below. Repeat for the second side.



MALONE®



NOW WITH SILVER POWDER COAT!! FS Rack Storage System

(MPG318 - MPG331 - MPG332 - MPG334 - MPG338 - MPG386 - MPG387 - MPG388)

Installation Instructions - Please Read Before Beginning

2). Identify and pre-stage two Cross Supports (E) with lower side assemblies completed in steps 1 and 2. See image 3.



3). Vertically position a lower side assembly and install two Cross Supports with bolts / washers (H) provided. Repeat for the opposite side. See image 4.



4). Position and install a third Cross Support (E) as shown in image 5 below.

5). Locate and assemble two Cross Supports (E) with the two Top Uprights (B) as shown. Use bolts and washers provided (H). Firmly tighten. See image 6.

NOTE: The Cross Support with the MALONE logo should be in the top (highest) position.




MALONE[®]

NOW WITH SILVER POWDER COAT!! FS Rack Storage System


(MPG318 - MPG331 - MPG332 - MPG334 - MPG338 - MPG386 - MPG387 - MPG388)

Installation Instructions - Please Read Before Beginning

- 6). Insert the Top Upright Assembly from Step 5 into the lower assembly created in step 4. See image 7.
- 7). Attach the Top Upright Assembly by aligning the mounting holes and install 3 Bolts (K) with washers and nuts. Firmly tighten all bolts on both sides of the frame. Repeat for second Upright. See image 8.



- 8). Install Foam Blocks and Upright Pads where applicable. See Page 6 for a listing of all rack systems and the correct components included with each system. See image 9.



J-STYLE HOLDERS

FS STORAGE RACK SYSTEM

NOW WITH SILVER POWDER COAT!!



J-Style Holders

Mounting Hardware Kit




Installation & Loading Instructions - Please Read Before Beginning

Veuillez lire les instructions avant d'entreprendre l'installation et le chargement




1. Align the mounting holes in J-Style Holder with mounting holes in the uprights of the FS Rack frame. Insert bolts. See image 1.

NOTE: When installing the top most Holders to the FS frame, be sure to leave enough room for the back of the boat to safely rest against the uprights.



2. Install larger flat washer first, then the smaller split washer and finally the nut. Use a 1/2 wrench to secure. See image 2.

3. Confirm the J-Style Holder is firmly secure. Vertically align the second Holder and repeat steps 1 and 2. See image 3.



NOW WITH SILVER POWDER COAT!!

SUP-STYLE HOLDERS

FS STORAGE RACK SYSTEM



Mounting Hardware Kit




Installation & Loading Instructions - Please Read Before Beginning

Veillez lire les instructions avant d'entreprendre l'installation et le chargement



Align the mounting holes in SUP-Style Holder with mounting holes in the uprights of the FS Rack frame. Insert bolts. See image 1.



Install larger flat washer first, then the smaller split washer and finally the nut. Use a 1/2 wrench to secure. See image 2.

3



Confirm the SUP-Style Holder is firmly secure. Vertically align the second Holder and repeat steps 1 and 2. See image 3.

MALONE®

MPG332 Base Frame Only (1) Maximum Load Capacity = 250 lb



MPG318 Three Kayak Storage

Includes:

- MPG332 Base Frame (1)
- MPG320 J-Style Holders (2 sets)
- MPG339 Foam Blocks (1 set)

Maximum Load Capacity = 250 lb




MPG331 Six Kayak Storage

Includes:

- MPG332 Base Frame (1)
- MPG320 J-Style Holders (4 sets)
- MPG339 Foam Blocks (2 sets)
- MPG338 Upright Pads (2 sets)
- MPG326 Leg Extension Kit (1)

Maximum Load Capacity = 500 lb



MPG334 Two Kayak, One SUP Storage

Includes:

- MPG332 Base Frame (1)
- MPG320 J-Style Holders (1)
- MPG339 Foam Blocks (1 set)
- MPG325 SUP Style Holder (1)

Maximum Load Capacity = 250 lb



Warning: All vehicular rooftop transports and boat storage systems are potentially hazardous. Any person using MALONE automotive transport systems or boat storage systems accepts full and complete responsibility for any and all damages or injury of any kind including death, which may result from their use.

MALONE®

MPG338 Six SUP Storage

Includes:

- MPG332 Base Frame (1)
- MPG325 SUP Style Holder (3)

Maximum Load Capacity = 250 lb



MPG386 Three Bike, Two SUP, One Kayak Storage

Includes:

- MPG332 Base Frame (1)
- MPG325 SUP Style Holder (1)
- MPG391 Bike Holder (1)
- MPG339 Foam Blocks (1 set)

Maximum Load Capacity = 250 lb



MPG387 Two Kayak, Six Ski, 2 SUP Storage

Includes:

- MPG332 Base Frame (1)
- MPG325 SUP Style Holder (1)
- MPG390 Ski Holder (1)
- MPG320 J-Style Holders (1 set)
- MPG339 Foam Blocks (1 set)

Maximum Load Capacity = 250 lb



MPG388 Six Ski, Three Bike, Two Kayak Storage

Includes:

- MPG332 Base Frame (1)
- MPG391 Bike Holder (1)
- MPG390 Ski Holder (1)
- MPG320 J-Style Holders (1 set)
- MPG339 Foam Blocks (1 set)

Maximum Load Capacity = 250 lb



MALONE

CHANGING THE WAY YOU GET THERE

Limited Lifetime Warranty

The Malone Auto Racks (Malone) Limited Lifetime Warranty covers certain Malone-brand products that have been specifically identified for inclusion in the program and is effective for as long as the original retail purchaser owns the product. This warranty is terminated when the original retail purchaser sells or otherwise transfers the product to any other person or entity.

Subject to the limitations and exclusions described in this warranty, Malone will remedy defects in materials and/or workmanship by repairing or replacing, at its option, a defective product without charge for parts or labor. Malone may elect, at its option, not to repair or replace a defective product but rather issue to the original retail purchaser a refund equal to the purchase price paid for the product, or credit to be used toward the purchase of a replacement Malone product.

This warranty does not cover, and no warranty is given for defects or problems caused by normal wear and tear, which includes, but is not limited to, surface (aesthetic) metal corrosion, scratches, dents, deformities, accidents, unlawful vehicle operation, or any modification of a product not performed or authorized in writing by Malone.

In addition, this warranty does not cover problems resulting from conditions beyond Malone's control including, but not limited to, theft, misuse, overloading, or failure to assemble, mount or use the product in accordance with Malone's written instructions or guidelines included with the product provided to the original retail purchaser.

No warranty is given for Malone products purchased outside of the continental United States, Canada and Mexico.

If the product is believed to be defective, the original retail purchaser should contact the Malone dealer from whom it was purchased, who will give the original retail purchaser instructions on how to proceed. If the original retail purchaser is unable to contact the Malone dealer, or the dealer is not able to remedy the defect, the original retail purchaser should contact Malone by email at support@maloneautoracks.com.

In the event that the product must be returned to Malone, a technician at the email address above will provide the original purchaser with return shipping instructions. The original purchaser will be responsible for the cost of mailing the product to Malone. In order to be eligible to receive any remedy under this warranty, a copy of the original purchase receipt, a description of the defect and a return address must be provided.

Disclaimer of Liability

Repair or replacement of a defective product, or the issue of a refund or credit (as determined by Malone) is the original retail purchaser's sole and exclusive remedy under this warranty. Damage to original purchaser's vehicle, cargo, or property, and/ or to any other person or property is not covered by this warranty.

This warranty is expressly made in lieu of any and all other warranties, express or implied, including the warranties of merchantability and fitness of a particular purpose

Malone's sole liability to any purchaser is limited to the remedy set forth above. In no event will Malone be liable for any direct, indirect, consequential, incidental, special, exemplary, or punitive damages , or, for any other damages of any kind or nature (including but not limited to, lost profits, lost income or lost sales).

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations may not be applicable.

In addition, all vehicular transports are potentially hazardous. Any person(s) using Malone products are personally responsible for following the given directions for use and/or installation and accepts full responsibility for any and all damages or injury of any kind including death, which may result from their use and/or installation.

MALONE AUTO RACKS 81 County Rd. Ste 1, Westbrook, ME 04092
P: 207.774.9100 F: 207.615.0551
E: support@maloneautoracks.com W: www.maloneautoracks.com

MALONE

CHANGING THE WAY YOU GET THERE

Garantie à vie limitée

La garantie à vie limitée de Malone Auto Racks (Malone) couvre certains produits de marque Malone expressément désignés pour être inclus dans ce programme et est valide tant que l'acheteur original est propriétaire du produit. Cette garantie prend fin lorsque l'acheteur original vend ou cède le produit à une autre personne ou entité.

Sous réserve des restrictions et exclusions prévues dans la garantie, Malone corrigera toute défectuosité matérielle et/ou tout défaut de fabrication en réparant ou en remplaçant, à sa discrétion, un produit défectueux sans frais pour ce qui est des pièces et de la main-d'oeuvre. Malone peut décider, à son choix, de ne pas réparer ou remplacer un produit défectueux, mais plutôt d'accorder à l'acheteur original un remboursement d'un montant égal au prix d'achat pour le produit ou encore un crédit pour l'achat d'un produit de remplacement de marque Malone.

La présente garantie ne couvre pas les défauts et les problèmes résultant d'une usure normale et aucune garantie n'est offerte à cet égard, notamment en cas de corrosion du métal en surface (esthétique), d'égratignures, de bosses, de déformations, d'accident, d'une utilisation illégale du véhicule ou de toute modification du produit qui n'est pas effectuée ou autorisée par écrit par Malone.

En outre, la garantie ne couvre pas les problèmes résultant de circonstances échappant au contrôle de Malone, y compris, notamment, résultant d'un vol, d'un usage abusif ou d'une surcharge ou encore d'un assemblage, d'une installation ou d'une utilisation du produit ne respectant pas les instructions écrites de Malone fournies à l'achat à l'acheteur original.

Aucune garantie n'est offerte pour des produits Malone achetés à l'extérieur du territoire continental des États-Unis, du Canada ou du Mexique.

Si le produit semble défectueux, l'acheteur original doit contacter le détaillant Malone où il a fait son achat et celui-ci lui fournira des renseignements sur la démarche à suivre. Si l'acheteur original ne réussit pas à contacter le détaillant Malone ou encore si le détaillant est incapable de remédier à la défectuosité, l'acheteur original doit communiquer directement avec Malone par courriel à l'adresse suivante : support@maloneautoracks.com.

Dans le cas où le produit doit être retourné à Malone, un technicien contacté à l'adresse courriel ci-dessus fournira à l'acheteur original les instructions à suivre pour l'expédition du produit. L'acheteur original devra assumer les frais d'expédition à Malone. Pour qu'une demande soit admissible aux termes de la présente garantie, il faut envoyer à Malone une copie du reçu de l'acheteur original, une description de la défectuosité et une adresse de retour.

Exonération de responsabilité

La réparation ou le remplacement du produit défectueux ou encore la remise d'un remboursement ou d'un crédit (tel que déterminé par Malone) constitue le seul et exclusif dédommagement offert à l'acheteur original aux termes de la présente garantie. Les dommages causés au véhicule de l'acheteur original, à un chargement, à ses biens et/ou à toute autre personne ou tout autre bien ne sont pas couverts par cette garantie.

Cette garantie est octroyée expressément afin de remplacer toute autre garantie expresse ou implicite, y compris toute garantie de qualité marchande ou de conformité pour un usage particulier.

L'unique responsabilité de Malone envers l'acheteur se limite aux dédommagements indiqués ci-dessus. Malone ne pourra en aucun cas être tenu responsable des dommages directs, indirects, consécutifs, spéciaux, exemplaires ou punitifs ou de tout autre dommage de quelque nature que ce soit (y compris notamment une perte de profits, de revenus ou de ventes).

L'exclusion ou la limitation des dommages indirects ou consécutifs n'étant pas permise à certains endroits, les limitations indiquées ci-dessus peuvent ne pas s'appliquer.

En outre, tous les transports par véhicule comportent des risques potentiels. Toute personne utilisant un produit Malone est donc personnellement responsable de suivre les instructions fournies pour son utilisation et/ou son installation et accepte l'entière responsabilité pour tout dommage ou toute blessure de quelque nature que ce soit, y compris un décès, pouvant résulter de son utilisation et/ou son installation.

MALONE AUTO RACKS 81 County Rd. Ste 1, Westbrook, ME 04092

P: 207.774.9100 F: 207.615.0551

E: support@maloneautoracks.com W: www.maloneautoracks.com

MALONE[®]

CHANGING THE WAY YOU GET THERE

Warnings / Limitations: Do not exceed the published load bearing weight of the product.

Use on a flat dry surface.

OUTSIDE USE: Boats must be turned with cockpit facing inwards to avoid filling with water.

Under no circumstances will the manufacturer be responsible for damages or failures that occur as a result of improper assembly or usage.

Limited Lifetime Warranty

The Malone Auto Racks (Malone) Limited Lifetime Warranty covers certain Malone-brand products that have been specifically identified for inclusion in the program and is effective for as long as the original retail purchaser owns the product. This warranty is terminated when the original retail purchaser sells or otherwise transfers the product to any other person or entity.

Subject to the limitations and exclusions described in this warranty, Malone will remedy defects in materials and/or workmanship by repairing or replacing, at its option, a defective product without charge for parts or labor. Malone may elect, at its option, not to repair or replace a defective product but rather issue to the original retail purchaser a refund equal to the purchase price paid for the product, or credit to be used toward the purchase of a replacement Malone product.

This warranty does not cover, and no warranty is given for defects or problems caused by normal wear and tear, which includes, but is not limited to, surface (aesthetic) metal corrosion, scratches, dents, deformities, accidents, unlawful vehicle operation, or any modification of a product not performed or authorized in writing by Malone.

In addition, this warranty does not cover problems resulting from conditions beyond Malone's control including, but not limited to, theft, misuse, overloading, or failure to assemble, mount or use the product in accordance with Malone's written instructions or guidelines included with the product provided to the original retail purchaser.

No warranty is given for Malone products purchased outside of the continental United States, Canada and Mexico.

If the product is believed to be defective, the original retail purchaser should contact the Malone dealer from whom it was purchased, who will give the original retail purchaser instructions on how to proceed. If the original retail purchaser is unable to contact the Malone dealer, or the dealer is not able to remedy the defect, the original retail purchaser should contact Malone by email at support@maloneautoracks.com.

In the event that the product must be returned to Malone, a technician at the email address above will provide the original purchaser with return shipping instructions. The original purchaser will be responsible for the cost of mailing the product to Malone. In order to be eligible to receive any remedy under this warranty, a copy of the original purchase receipt, a description of the defect and a return address must be provided.

Disclaimer of Liability

Repair or replacement of a defective product, or the issue of a refund or credit (as determined by Malone) is the original retail purchaser's sole and exclusive remedy under this warranty. Damage to original purchaser's vehicle, cargo, or property, and/ or to any other person or property is not covered by this warranty.

This warranty is expressly made in lieu of any and all other warranties, express or implied, including the warranties of merchantability and fitness of a particular purpose.

Malone's sole liability to any purchaser is limited to the remedy set forth above. In no event will Malone be liable for any direct, indirect, consequential, incidental, special, exemplary, or punitive damages, or, for any other damages of any kind or nature (including but not limited to, lost profits, lost income or lost sales).

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations may not be applicable.

In addition, all vehicular transports are potentially hazardous. Any person(s) using Malone products are personally responsible for following the given directions for use and/or installation and accepts full responsibility for any and all damages or injury of any kind including death, which may result from their use and/or installation.



Warning: All vehicular rooftop transports and boat storage systems are potentially hazardous. Any person using MALONE automotive transport systems or boat storage systems accepts full and complete responsibility for any and all damages or injury of any kind including death, which may result from their use.

MALONE AUTO RACKS 81 County Rd. Ste 1, Westbrook, ME 04092

P: 207.774.9100 F: 207.615.0551

E: support@maloneautoracks.com W: www.maloneautoracks.com